

COMMA - 0W30 VOLTECH

Page: 1

Compilation date: 30/09/2014

Revision No: 11

Section 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name: COMMA - 0W30 VOLTECH

Product code: VTC\*L

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Automotive engine oil.

## **1.3.** Details of the supplier of the safety data sheet

Company name: Comma Oil & Chemicals Ltd.

Dering Way

Gravesend

Kent

DA12 2QX

Tel: +44 01474 564311

Fax: +44 01474 333000

Email: sales@commaoil.com

## 1.4. Emergency telephone number

Emergency tel: +44 01474 564311

## Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CHIP: This product has no classification under CHIP.

Classification under CLP: This product has no classification under CLP.

2.2. Label elements

Label elements: This product has no label elements.

2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

## COMMA - 0W30 VOLTECH

## Page: 2

## DISTILLATE, HYDROTREATED HEAVY PARAFFINES

EINECS	CAS	CHIP Classification	CLP Classification	Percent	
265-157-1	64742-54-7	Substance with a Community workplace exposure limit.	-	70-90%	
ZINC BIS[O-(6-METHYLHEPTYL)] BIS [O-(SEC-BUTYL)] BIS(DITHIOPHOSPHATE) - REACH registered number(s): 01 -2119543726-33					

298-577-9	-	Xi: R38; Xi: R41; N: R51/53 Aquatic Chronic 2: H411; Skin Irrit. 2:		<1%	
			H315; Eye Dam. 1: H318		

Contains: Hazardous ingredients present at or above regulatory disclosure limits.

## Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

**Ingestion:** Do not induce vomiting. Consult a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

## Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Alcohol or polymer foam. Dry chemical powder. Carbon dioxide.

## 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

## COMMA - 0W30 VOLTECH

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

### 7.3. Specific end use(s)

Specific end use(s): No special requirement.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Workplace exposure limits:

#### Respirable dust

**Respirable dust** 

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	5 mg/m3 for oil mist	-	-	-

Hazardous ingredients:

### DISTILLATE, HYDROTREATED HEAVY PARAFFINES

### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	5 mg/m3 for oil mist	-	-	-

**DNEL/PNEC** Values

DNEL / PNEC No data available.

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Gloves (oil-resistant).

Eye protection: Safety glasses.

Skin protection: Oil-resistant protective clothing.

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

COMMA - 0W30 VOLTECH

Colour	Gold-brown		
Colour.			
Odour:	Barely perceptible odour		
Evaporation rate:	Negligible		
Solubility in water:	Insoluble		
Also soluble in:	Most organic solvents.		
Viscosity:	50 mm2/s @ 100 C		
Flash point °C:	> 200	Relative density:	0.84 @ 20 C
pH:	n/a		

## 9.2. Other information

**Other information:** No data available.

### Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat. Sources of ignition.

10.5. Incompatible materials

Materials to avoid: Oxidising agents.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

## 11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

### Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

Page: 4

### COMMA - 0W30 VOLTECH

Page: 5

### 12.2. Persistence and degradability

Persistence and degradability: No data available.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Non-volatile. Floats on water.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

## Section 13: Disposal considerations

## 13.1. Waste treatment methods

Waste code number: 13 02 06

Disposal of packaging: Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

Transport class: This product does not require a classification for transport.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: --

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

### Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	This safety data sheet is prepared in accordance with Commission Regulation (EC) No
	1272/2008.
Phrases used in s.2 and s.3:	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H411: Toxic to aquatic life with long lasting effects.
	R38: Irritating to skin.
	R41: Risk of serious damage to eyes.

COMMA - 0W30 VOLTECH

		r age.	C
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic		
	environment.		
Legend to abbreviations:	PNEC = predicted no effect level		
	DNEL = derived no effect level		
	LD50 = median lethal dose		
	LC50 = median lethal concentration		
	EC50 = median effective concentration		
	IC50 = median inhibitory concentration		
	dw = dry weight		
	bw = body weight		
	cc = closed cup		
	oc = open cup		
	MUS = mouse		
	GPG = guinea pig		
	RBT = rabbit		
	HAM = hamster		
	HMN = human		
	MAM = mammal		
	PGN = pigeon		
	IVN = intravenous		
	SCU = subcutaneous		
	SKN = skin		
	DRM = dermal		
	OCC = occular		
	PCP = phycico-chemical properties		
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive		
	and shall be used only as a guide. This company shall not be held liable for any		
	damage resulting from handling or from contact with the above product		

**Page:** 6